

## Bibliografia

- Allison P.D. (1982), "Discrete- time methods for the analysis of event histories", in Leinhardt (Ed.) *Sociological Methodology*, Jossey Bass, San Francisco; pp. 61- 98
- Allison P.D. (1984), *Event history analysis: Regression for longitudinal event data*, Sage Pubblication, Beverly Hills (CA)
- Andrev E.M., Shkolnikov V.M., Begun A. (2002), "Algorithm for decomposition of differences between aggregate demographic measures and its application to life expectancies, healthy life expectancies, parity- progression ratios and total fertility rates", in *Demographic Research*; vol. 7, art. 14: 499- 521
- Armitage P., Berry G. (1994), *Statistical methods in medical research*, Blackwell Science, Oxford
- Baird P.A., Sadovnick A.D. (1987), "Life expectancy in Down syndrome", in *Journal of Pediatrics*; 110(6): 849- 54
- Baird P.A., Sadovnick A.D. (1988), "Life expectancy in Down syndrome adults", in *Lancet*; 2(8624): 1354- 6
- Baird P.A., Sadovnick A.D. (1988), "Maternal age- specific rates for Down syndrome: changes over time", in *American Journal of Medical Genetics*; 29: 917- 927
- Baird P.A., Sadovnick A.D. (1989), "Life tables for Down syndrome", in *Human Genetics*; 82(3): 291- 2
- Baird P.A., Sadovnick A.D. (1992), "Life expectancy", in *Biomedical Concerns in Persons with Down Syndrome*, Pueschel S.M., Pueschel J.K. (eds), Paul H Brookes, Baltimore, Maryland; 47- 57
- Barbagli M., Castiglioni M., Dalla Zuanna G. (2003), *Fare famiglie in Italia: un secolo di cambiamenti*, Il Mulino, Bologna
- Battista L. et al. (2002), "Effetti del tabagismo sull'unità fetoplacentare", in *Rivista di Ostetricia Ginecologia Pratica e Medicina Perinatale*; vol. XVII n.4: 6- 7
- Bertollini R., Mastroiacovo P., Musacchio P. (1982), "Tassi di prevalenza alla nascita specifici per singolo anno di età materna della sindrome di Down nell'IPIMC", in *Atti del Convegno: In tema di capacità gestazionale della donna*; Cagliari, 425- 430
- Bianca S., Ettore G., Barbagallo MA., Meli S., Mollica F. e Gruppo ISMAC (1998), "La Sindrome di Down in Sicilia", in *Rivista Siciliana Materno Infantile*; Anno X, nr.2: 6- 8
- Bianca S., Bianca M., Ettore G. (2001), "Sex ratio imbalance and Down Syndrome", in *Journal of Perinatal Medicine*; 29: 266- 7
- Blossfeld H.P., Rohwer G. (2002), *Tecniche of Event History Modelling: New Approaches to Casual Analysis*, Lawrence Erlbaum Associates, Mahwah (New Jersey)
- Bonarini F. (2003), *Sull'aumento degli aborti spontanei in Italia*, abstract presentato alle Giornate di studio sulla Popolazione, Bari, 27- 29 gennaio
- Bosveld W. (1993), "Childbirth at higher ages in four countries of Europe", in *PDOD*, Paper n. 19, Amesterdam

- Burgio A., Prati S., Loghi M., Lo Conte M. (2003), *Verso un sistema integrato per il monitoraggio delle nascite, dei parto e degli altri esiti dei concepimenti*, abstract presentato alle Giornate di studio sulla Popolazione, Bari, 27- 29 gennaio
- Calot G. (1965), "Evaluation de la partie imputable a divers facteurs de variation dans l'evolution d'une grandeur globale", in *Cours de statistique descriptive*, Dunod, Paris
- Carothers A.D. (1995), "Methods for maternal age- standardization of the incidence of congenital abnormalities", in *Statistics in Medicine*; 14: 1797- 1806
- Carothers A.D., Hecht C.A., Hook E.B. (1999), "International variation in reported livebirth prevalence rates of Down syndrome, adjusted for maternal age", in *Journal of Medical Genetics*; 36: 386- 393
- Cocchi G., Di Tanna G.L. (2002), "Prenatal Diagnosis and Down Sindrome" in *Annual Report with Data for 2000*, ICBD, Roma; 193- 197
- Cocchi G. et al. (1995), "The impact of prenatal cytogenetic diagnosis on birth prevalence of Down Syndrome", in *Teratology*; 52: 118- 123
- Contardi A., Vicari S. (a cura di) (1995), *Le persone Down – Aspetti neuropsicologici, educativi e sociali*, Franco Angeli, Milano
- Contardi A., Pasqua P., Razzano A. (1996), *Un giorno dopo l'altro*, Guaraldi, Rimini
- Cox D.R. (1972), "Regression models and life tables", in *Journal of the Royal Statistical Society*; B, 34: 187- 220
- Cox D.R., Oaks D. (1984), *Analysis od Survival Data*, Chapman and Hall, London

- Cuckle H., Wald N.J., Thompson S.G. (1987), "Estimating a woman's risk of having a pregnancy associated with Down's syndrome using her age and serum alphafetoprotein level", in *British Journal of Obstetrics & Gynaecology*; 94: 387- 402
- Cuckle H. (1999), "Down's syndrome fetal loss rate in early pregnancy", in *Prenatal Diagnosis*; 19: 1177- 9
- Cuckle H. (1999), "Maternal age- standardization of prevalence of Down's syndrome", in *Lancet*; 354: 529- 530
- Cuckle H. (2000), "Biochemical screening for Down syndrome", in *European Journal of Obstetrics and Gynecology and Reproductive Biology*; 92: 97- 101
- Das Gupta P. (1978), "A general method for decomposing a difference between two rates into several components" in *Demography*; vol.15, nr.1, 99- 112
- Das Gupta P. (1991), "Decomposing of the Difference Between Two rates and Its Consistency When more than two populations are involved", in *Mathematical Population Studies*; 3 (2), 105- 125
- Das Gupta P. (1999), "Decomposing the difference between rates when the rate is a function of factors that are not cross- classified", in *Genus*; LV(1- 2), 9- 26
- Del Bufalo E. (2001), *Metodo di previsione della prevalenza di patologie gravemente disabilitanti*, Tesi di specializzazione della scuola METERS, Università "La Sapienza", Roma
- De Riu F. (2001), *Sperimentazione di un modello di sopravvivenza per persone con patologie congenite fortemente disabilitanti*, Tesi di specializzazione della scuola METERS, Università "La Sapienza", Roma
- Di Cesare M., Boldrini R., Fortino A. (n.d.), *Integrazione dei sistemi informativi sulle malformazioni congenite: la scheda di dimissione ospedaliera e il certificato di assistenza al parto*, Ministero della Salute, Dipartimento Generale della Programmazione Sanitaria, Roma
- Dupont A., Vaeth M., Videbech P. (1986), "Mortality and life expectancy of Down's syndrome in Denmark", in *Journal of Mental Deficiency Research*; 30(2): 111- 20
- Formica U. (2000), *I controlli di salute dei bambini con Sindrome di Down*, CIS Editore, Milano
- Gesano P. (1987), *Mobilità per lavoro in provincia di Roma*, Editori Riuniti, Roma
- Gilbert R.E. et el. (2001), "Screening for Down's syndrome : effects, safety, and cost effectiveness of first and second trimester strategies", in *British Medical Journals*; 323: 423- 425

- Giorgi P. (1995), "La fecondità ad età elevate in Italia", in *Continuità e discontinuità nei processi demografici. L'Italia nella transizione demografica*, Atti del convegno della SIS, Rubettino Soveria Mannelli; pp. 353- 361
- Glasson EJ., Sullivan SG., Hussain R., Petterson BA., Montgomery PD., Bittles AH. (2002), "The changing survival profile of people with Down's syndrome: implications for genetic counselling", in *Clinical Genetics*; vol. 62(5): 290
- Glasson EJ., Sullivan SG., Hussain R., Petterson BA., Montgomery PD., Bittles AH. (2003), "Comparative survival advantage of males with Down syndrome", in *American Journal of Human Biology*; 15(2): 192- 5
- Grudzinskas J.G, Chard T., Chapman M., Cuckle H. (1994), *Screening for Down's syndrome*, Cambridge University Press, Cambridge
- Hanau C., Iacovitti S. (1997), "Una "lunga attesa". Relazione tra handicap congenito ed età della madre" in *Panorama della Sanità*; n.38- 97, CIDAS, Roma
- Hayes C., Johnson Z., Thornton L., Fogarty J., Lyons R., O'Connor M., Delany V., Buckley K. (1997), "Ten- year survival of Down syndrome births", in *International Journal of Epidemiology*; 26(4): 822- 9
- Hecht C.A. Hook E.B. (1996), "Rates of Down syndrome at livebirth by one- year maternal age intervals in studies with apparent close to complete ascertainment in populations of European origin: a proposed revised rate schedule for use in genetic and prenatal screening", in *American Journal of Medical Genetics*; 62: 376- 385
- Hook E.B., (1981), "Rates of chromosome abnormalities at different maternal ages" in *Obstetrics and Gynecology*; 58: 282- 285
- Hook E.B. (1982) "Incidence and prevalence as measures of the frequency of birth defects", in *American Journal of Epidemiology*; 116 (5): 743- 747
- Hook E.B., Cross P.K., Schreinemachers D.M. (1983), "Chromosomal abnormality rates at amniocentesis and in live- born infants", in *Journal of American Medical Association*; 249 (15): 2034- 8
- Hook E.B., Cross P.K., Mutton D.E. (1999), "Female predominance (low sex ratio) in 47,+2 mosaics", in *American Journal of Medical Genetics*; 84 (4): 316- 9
- ICBD – EUROCAT (Human Genetics Programme, WHO), *World Atlas of Birth Defects 1<sup>st</sup> Edition*, 1998
- ICBD – EUROCAT (Human Genetics Programme, WHO), *World Atlas of Birth Defects 2<sup>nd</sup> Edition*, 2003
- ICBDMS (1991), *Congenital Malformations Worldwide*, Elsevier Science Publishers B.V., Amsterdam
- ICBDMS (2002), *Annual Report with Data for 2000*, ICBD, Roma
- ICBDMS (2001), *Annual Report with Data for 1999*, ICBD, Roma
- ISTAT (1997), *L'interruzione volontaria di gravidanza in Italia. Un quadro socio- demografico e sanitario dalla legge 194 ad oggi*, Argomenti n.9, Roma
- ISTAT (2000), *Il quadro evolutivo della mortalità per causa in Italia. Anni 1991, 1994, 1997*, Sanità e previdenza, Roma

- ISTAT (2001), *Dimissioni dagli istituti di cura per aborto spontaneo. Anno 1998*, Informazioni n.23, Roma
- ISTAT (2000), *Annuario Statistico Italiano*, Roma
- Jones MB. (1979), "Years of life lost through Down's syndrome", in *Journal of Medical Genetics*; 16(5): 379- 83
- Källen B., Knudsen L.B. (1989), "Effect of maternal distribution and prenatal diagnosis on the population rates of Down syndrome - a comparative study of nineteen populations", in *Hereditas*; 110: 55- 60
- Kitagawa E. (1955), "Components of a Difference Between Two Rates", in *Journal of the American Statistical Association*; 50 (272), 1168- 1194
- Kitagawa E. (1964), "Standardized Comparison in Population Research" in *Demography*; vol.1, nr.1, 296- 315
- Kohler HP., Billari F., Ortega JA. (2002), "The Emergence of Lowest-Low Fertility in Europe During the 1990s", in *Population and Development Review*; 28 (4), 641- 680
- Kovaleva NV. (2001), "Sex ratio in Down syndrome. Studies in patient with confirmed trisomy 21", in *Cytology and Genetics*; 35: 43- 49
- Kovaleva NV. (2002), "Sex ratio in Down syndrome", in *Cytology and Genetics*; 36: 54- 59
- Kramer M.S. et al. (2001), "A New and Improved Population-Based Canadian Reference for Birth Weight for Gestational Age", in *Pediatrics*; vol. 108 n.2: e35
- Leonard S., Bower C., Petterson B., Leonard H. (2000) "Survival of infants born with Down's syndrome: 1980- 96", in *Paediatric & Perinatal Epidemiology*; 14(2): 163- 171
- Lindstein J. (1981) "Incidence of Down's Syndrome in Sweeden during the years 1968- 1977", in *Trisomy 21. An International Symposium*, Burgio G.R. et al., Springer- verlag, Heidelberg
- Livi Bacci M. (1990), *Introduzione alla demografia*, Loescher Editore, Torino
- Masaki M. et al. (1981), "Mortality and survival for Down syndrome in Japan", in *American Journal of Human Genetics*; 33(4): 629- 39
- Mastroiacovo P., Spagnolo A. (1987), *Sistema di sorveglianza sulle malformazioni congenite attuato dall'IPIMC (Indagine Policentrica sulle Malformazioni Congenite) negli anni 1978- 84*, Rapporti Istisan, ISS, Roma
- Mastroiacovo P., Bertollini R., Corchia C. (1992), "Survival of children with Down Syndrome in Italy", in *American Journal of Medical Genetics*; 42: 208- 212
- Mastroiacovo P., Rosano A., Lanni R. et al. (1997), "Epidemiologia e qualità di vita: alcuni dati in Italia" in *La persona Down verso il 2000. Nuovo soggetto sociale*, Associazione Italiana Persone Down, Il pensiero scientifico, Roma; 19- 31
- Mastroiacovo P., Botto L.D. (2000), "Surveillance for Birth Defects and Genetics Diseases", in *Genetics and Public Health in the 21<sup>st</sup> Century*, Burke W., Thomson EJ., Eds. MJ Khoury, Oxford University Press, New York
- Mastroiacovo P. (2002), "L'epidemiologia della Sindrome di Down nel terzo millennio" in *Sindrome Down Notizie*; anno XXI, nr.1, Bergamo

McGrother C.W., Marshall B. (1990), "Recent trends in incidence, morbidity and survival in Down's syndrome", in *Journal of Mental Deficiency Research*; 34(1): 49- 57

Morris J.K., Wald N.J., Watt H.C. (1999), "Fetal loss in Down syndrome pregnancies", in *Prenatal Diagnosis*; 19 (2): 142- 145

Pierannunzio D. (2000), *Un'indagine sulle comunità- alloggio per handicappati adulti a Roma*, Tesi di laurea, Università degli studi "La Sapienza", Roma

Record RG., Smith A.(1955), "Incidence, mortality, and sex distribution of mongolid defectives", in *British Journal of Preventive and Social Medicine*; 9 (1): 10- 5

Rizzo N., Di Luzio L., Farina A., Malaigia S., Simonazzi G., Ghi T., Bovicelli L. (1999), "Le diagnosi prenatali" in *Prenatale*; Volume 3, numero 3

Roizen NJ., Patterson D. (2003), "Down's syndrome ", in *Lancet*; 361 (9365): 1281- 9

Smith D.S. (2001), "Health care management of adults with Down syndrome", in *American Family Physician*; 64(6):1031- 8

Spagnolo A., Calzolari E. (1999), "La sorveglianza delle malformazioni congenite", in *Rivista Siciliana Materno Infantile*; Anno XI, nr.3- 4

Strauss D., Eyman RK. (1996), "Mortality of people with mental retardation in California with and without Down syndrome, 1986- 1991", in *American Journal on Mental Retardation*; 100(6): 643- 53

Thase M.E. (1982), "Longevity and mortality in Down's syndrome", in *Journal of Mental Deficiency Research*; 26(3), 177- 92

United Nations (2001), *World Population Prospects: the 2000 Revision*, New York

van Allen MI, Fung J., Jurenka SB. (1999), "Health care concerns and guidelines for adults with Down Syndrome", in *American Journal of Medical Genetics*; 89 (2):100- 10

Vaupel J.V., Canudas Romo V. (2002), "Decomposing demographic change into direct vs. compositional components", in *Demographic Research*; vol.7, art. 1

Wald N.J. Hackshaw A.K., Huttly W., Kennard A. (1996), "Empirical validation of risk screening for Down's syndrome", in *Journal of Medical Screening*; 3: 185- 187

Wald N.J. Hackshaw A.K. (2000), "Advaces in antenatal screening for Down syndrome", in *Best Practise & Research in Clinical Obstetrics and Gynaecology*; 14: 563- 580

Yang et al.(2002), "Mortalità associated with Down's sindrome in the USA from 1983 to 1997: a population- based study", in *Lancet*; 359(9311): 1019- 25

Yoon P.W., Freeman S.B., Sherman S.L. Taft L.F., Gu Y., Pettay D. et al. (1996), "Advanced maternal age and the risk of Down syndrome characterized by the meiotic syage of the chromosomal error: a population based study", in *American Journal of Human Genetics*; 58: 628- 33

<http://www.conosciamocimeglio.it>

<http://www.vividown.org>

<http://www.aipd.it>